INDEX TO
EXPERIMENTAL MECHANICS
VOLUME 10, 1970

SUBJECT INDEX

Absolute Pressure, High, A New Transducer for Measuring Small Pressure Differences at—G. S. Kular, 433–437 (Oct.).
Acquisition and Reduction of Data, An Application of, of Variable Short-time Tests—F. L. Schierloh, R. D. Chaney and S. J. Green, 23N–28N (June).
Aircraft-carrier Catapult Problem, Development of Tension–Torsion Machine from an—Thomas W. Butler, 438–439 (Oct.).
Aluminum Alloys, the Fatigue of, Subjected to Random Loading—G. W. Brown and R. Ikegami, 321–327 (August).
Apertures, Experimental Study of Oblique Circular Cylindrical, in Plates—F. Ellyin, 195–202 (May).
Axial Loads, Propagation of a Longitudinal Pulse in Wire Ropes under—H. H. Vanderveldt and J. J. Gilheany, 401–407 (Oct.).
Axially Symmetric Loading, Stress at Notch Root of Shafts under—Y. F. Cheng, 534–536 (Dec.).

Ballistic Problems, Some Strain-gage Applications to—Paul D. Flynn, 297–304 (July).
Biaxial-stress Field, Fatigue-crack Propagation in a—S. R. Joshi and J. Shewchuk, 529–533 (Dec.).
Birefringent-fluid Tests Using Scattered-light Technique—F. J. Ahimaz, 133–134 (March).
Buckling, Experimental Studies on, of Ring-stiffened Shells under Axial Compression—T. Weller and J. Singer, 449–457 (Nov.).
Buckling, Grips for, Experiments with Rectangular Rods—D. Granot, 24N (Feb.).

Charpy V-Notch, Effect of Two Drilled Holes on the Elastic and Elastic–Plastic Strain Distribution Around a—C. A. Rau, Jr. and A. S. Teletman, 362–369 (Sept.).
Chebyshev Analysis of Stress Concentrations—Edward B. Goldman, 127–129 (March).
Clamped Machined Surfaces, On the Experimental Investigation of the Stiffness of—D. G. Bellow and D. D. Nelson, 506–513 (Dec.).
Composite Body, Constant-acceleration Stresses in a—V. J. Parks, A. J. Durelli and L. Ferrer, 49–56 (Feb.).
Computer, The, in the Testing Laboratory—James C. Collins, 19N–23N (Feb.).
Cracks, An Investigation of Propagating, by Dynamic Photoelasticity—W. B. Bradley and A. S. Kobayashi, 106–113 (March).
Creep of Metal Torsion–Tension Members Subjected to Nonproportionate Load Changes—S. C. Chu and O. M. Sidebottom, 225–232 (June).
Creep, Some Results of Testing Simple Structures under Constant and Variable Loading During—R. G. Sim and R. K. Penny, 152–159 (April).
Cryogenic Environment, Strain Gages in—John C. Telinde, 394–400 (Sept.).
Cylindrical Shells, Analysis of, of Nonuniform Thickness Using Two-dimensional Photoelastic Models—William C. Jenkins, 39–45 (Jan.).

Data, An Application of Acquisition and Reduction of, of Variable Short-time Tests—F. L. Schierloh, R. D. Chaney and S. J. Green, 23N–28N (June).
Deflection, Central, of a Transversely Struck Beam—H. Schweiger, 166–169 (April).
Diaphragm Pressure Gage, Interaction of, with a Viscoelastic Half Space—J. E. Fitzgerald and W. L. Hufferd, 257–265 (July).
Drilled Holes, Effect of Two, on the Elastic and Elastic–Plastic Strain Distribution Around a Charpy V-Notch—C. A. Rau, Jr. and A. S. Tetelman, 362–369 (Sept.).
Dynamic Plastic Response of Foil Gages—William N. Sharpe, Jr., 408–414 (Oct.).
Dynamic-strain Profile and History, Measuring, with a Drum Camera—by Richard S. Culver, 288–293 (July).

Elastic Moduli, Elevated-temperature, of 2024 Aluminum Obtained by a Laser-pulse Technique—J. A. Brammer and C. M. Percival, 245–250 (June).
Elastic, Natural Stress Used to Obtain Linear, and Optical Properties of a Rubber under Large Strains—A. J. Durelli, V. J. Parks and V. J. Lopardo, 240–244 (June).
Elastic-plastic Strain Conditions, Measurement of, at Elevated Temperatures (550° F Maximum)—J. K. Hayes and B. Roberts, 440–448 (Oct.).
Elastic Stability, Influence of Concentrated Lateral Loads on the, of Cylinders in Bending—S. Okubo, P. E. Wilson and J. S. Whittier, 384–389 (Sept.).
Elevated-temperature Elastic Moduli of 2024 Aluminum Obtained by a Laser-pulse Technique—J. A. Brammer and C. M. Percival, 245–250 (June).
Embedded-polariscope Models, A Simple Method for Determining Principal-stress Directions in—R. Mark and R. B. Pipes, 390–393 (Sept.).
Engineering Designs, On the Interpretation and Application of Shock-test Results in—Chi-Hung Mok, 266–273 (July).
Environments, An Evaluation of Weldable Strain Gages in Nuclear-reactor—M. J. Pettigrew, 203–209 (May).

PUBLISHED BY SOCIETY FOR EXPERIMENTAL STRESS ANALYSIS, 21 BRIDGE SQUARE, WESTPORT, CONN. 06880

INDEX TO
EXPERIMENTAL MECHANICS
VOLUME 10, 1970

SUBJECT INDEX

Absolute Pressure, High, A New Transducer for Measuring Small Pressure Differences at—G. S. Kular, 433–437 (Oct.).
Acquisition and Reduction of Data, An Application of, of Variable Short-time Tests—F. L. Schierloh, R. D. Chaney and S. J. Green, 23N–28N (June).
Aircraft-carrier Catapult Problem, Development of Tension–Torsion Machine from an—Thomas W. Butler, 438–439 (Oct.).
Aluminum Alloys, the Fatigue of, Subjected to Random Loading—G. W. Brown and R. Ikegami, 321–327 (August).
Apertures, Experimental Study of Oblique Circular Cylindrical, in Plates—F. Ellyin, 195–202 (May).
Axial Loads, Propagation of a Longitudinal Pulse in Wire Ropes under—H. H. Vanderveldt and J. J. Gilheany, 401–407 (Oct.).
Axially Symmetric Loading, Stress at Notch Root of Shafts under—Y. F. Cheng, 534–536 (Dec.).

Ballistic Problems, Some Strain-gage Applications to—Paul D. Flynn, 297–304 (July).
Biaxial-stress Field, Fatigue-crack Propagation in a—S. R. Joshi and J. Shewchuk, 529–533 (Dec.).
Birefringent-fluid Tests Using Scattered-light Technique—F. J. Ahimaz, 133–134 (March).
Buckling, Experimental Studies on, of Ring-stiffened Shells under Axial Compression—T. Weller and J. Singer, 449–457 (Nov.).
Buckling, Grips for, Experiments with Rectangular Rods—D. Granot, 24N (Feb.).

Charpy V-Notch, Effect of Two Drilled Holes on the Elastic and Elastic–Plastic Strain Distribution Around a—C. A. Rau, Jr. and A. S. Teletman, 362–369 (Sept.).
Chebyshev Analysis of Stress Concentrations—Edward B. Goldman, 127–129 (March).
Clamped Machined Surfaces, On the Experimental Investigation of the Stiffness of—D. G. Bellow and D. D. Nelson, 506–513 (Dec.).
Composite Body, Constant-acceleration Stresses in a—V. J. Parks, A. J. Durelli and L. Ferrer, 49–56 (Feb.).
Computer, The, in the Testing Laboratory—James C. Collins, 19N–23N (Feb.).
Cracks, An Investigation of Propagating, by Dynamic Photoelasticity—W. B. Bradley and A. S. Kobayashi, 106–113 (March).
Creep of Metal Torsion–Tension Members Subjected to Nonproportionate Load Changes—S. C. Chu and O. M. Sidebottom, 225–232 (June).
Creep, Some Results of Testing Simple Structures under Constant and Variable Loading During—R. G. Sim and R. K. Penny, 152–159 (April).
Cryogenic Environment, Strain Gages in—John C. Telinde, 394–400 (Sept.).
Cylindrical Shells, Analysis of, of Nonuniform Thickness Using Two-dimensional Photoelastic Models—William C. Jenkins, 39–45 (Jan.).

Data, An Application of Acquisition and Reduction of, of Variable Short-time Tests—F. L. Schierloh, R. D. Chaney and S. J. Green, 23N–28N (June).
Deflection, Central, of a Transversely Struck Beam—H. Schweiger, 166–169 (April).
Diaphragm Pressure Gage, Interaction of, with a Viscoelastic Half Space—J. E. Fitzgerald and W. L. Hufferd, 257–265 (July).
Drilled Holes, Effect of Two, on the Elastic and Elastic–Plastic Strain Distribution Around a Charpy V-Notch—C. A. Rau, Jr. and A. S. Tetelman, 362–369 (Sept.).
Dynamic Plastic Response of Foil Gages—William N. Sharpe, Jr., 408–414 (Oct.).
Dynamic-strain Profile and History, Measuring, with a Drum Camera—by Richard S. Culver, 288–293 (July).

Elastic Moduli, Elevated-temperature, of 2024 Aluminum Obtained by a Laser-pulse Technique—J. A. Brammer and C. M. Percival, 245–250 (June).
Elastic, Natural Stress Used to Obtain Linear, and Optical Properties of a Rubber under Large Strains—A. J. Durelli, V. J. Parks and V. J. Lopardo, 240–244 (June).
Elastic-plastic Strain Conditions, Measurement of, at Elevated Temperatures (550° F Maximum)—J. K. Hayes and B. Roberts, 440–448 (Oct.).
Elastic Stability, Influence of Concentrated Lateral Loads on the, of Cylinders in Bending—S. Okubo, P. E. Wilson and J. S. Whittier, 384–389 (Sept.).
Elevated-temperature Elastic Moduli of 2024 Aluminum Obtained by a Laser-pulse Technique—J. A. Brammer and C. M. Percival, 245–250 (June).
Embedded-polariscope Models, A Simple Method for Determining Principal-stress Directions in—R. Mark and R. B. Pipes, 390–393 (Sept.).
Engineering Designs, On the Interpretation and Application of Shock-test Results in—Chi-Hung Mok, 266–273 (July).
Environments, An Evaluation of Weldable Strain Gages in Nuclear-reactor—M. J. Pettigrew, 203–209 (May).

PUBLISHED BY SOCIETY FOR EXPERIMENTAL STRESS ANALYSIS, 21 BRIDGE SQUARE, WESTPORT, CONN. 06880

Equation, Some Experimental Evidence for the Validity of Moiré-gap—F. P. Chiang and B. Ranganayakamma, 294–296 (July).
Experimental Mechanics, Holographic-interferometry Applications in—Robert C. Sampson, 313–320 (August).
Explosions, Containment of, in Water-filled Right-circular Cylinders—James F. Proctor, 458–466 (Nov.).
Extensometer, Development of Resonance—P. Chenchanna, V. K. Krishnankutty, A. Mukherjee and M. Samanta, 130–132 (March).

Fatigue-crack Propagation in a Biaxial-stress Field—S. R. Joshi and J. Shewchuck, 529–533 (Dec.).
Fatigue Life, Plastic Stress and Acoustic Emission as Predictors of—L. D. Mitchell and J. R. Frederick, 328–332 (August).
Fatigue-sensor Applications, Development of a Strain Multiplier for—E. D. R. Thomas, 346–352 (August).
Finite Strain, Moiré-grid Analyzer Method for the Analysis of—T. X. Danh and R. M. Taylor, 415–420 (Oct.).
Foil Gages, Dynamic Plastic Response of—William N. Sharpe, Jr., 408–414 (Oct.).
Fracture, The Ductile, of Polycarbonate—Halbert F. Brinson, 72–77 (Feb.).
Fresnel Diffraction, Slope-contour Fringe Multiplication by—Pericles S. Theocaris, 377–383 (Sept.).
Friction, Experimental Investigation of Longitudinal Wave Propagation in an Elastic Rod with Coulomb—C. S. Cornelius and W. K. Kubitza, 137–144 (April).
Fringe Multiplication, Slope-contour, by Fresnel Diffraction—Pericles S. Theocaris, 377–383 (Sept.).

Greenstick Bone Fracture, Parametric Stress-concentration Factors in—D. Bynum Jr., W. B. Ledbetter, C. L. Boyd and D. R. Ray, 474–480 (Nov.).

Holographic Interferometer, A Simple, for Static and Dynamic Photomechics—J. A. Clark and A. J. Durelli, 497–505 (Dec.).
Holographic-interferometry Applications in Experimental Mechanics—Robert C. Sampson, 313–320, (August).
Holographic Techniques, Transient-response Measurements Using—R. Aprahamian, D. A. Evensen and J. S. Mixson, 412–426 (Oct.).
Holography, Further Applications of, to Photoelasticity—M. E. Fourney and K. V. Mate, 177–186 (May).

Interference Fits, Stress Distributions from, and Uniaxial Tension—J. A. Regalbuto and O. E. Wheeler, 274–280 (July).
Interferometric, On the, Method of Stress Analysis—L. S. Srinath and C. L. Mehrotra, 170–171 (April).
Interferometric, On the, Method of Stress Analysis in Three-dimensional Photoelasticity—D. Post, 172–174 (April).
Interferometric Strain Gage, Dynamic Strain Measurement with the—William N. Sharpe, Jr., 89–92 (Feb.).
Interferometry, Moiré, with Embedded Grids, Effect of Optical Refraction—Discussion by A. J. Durelli and J. A. Clark, 175–176 (April).

Large-plane Nonhomogeneous Deformations, The Moiré Method for Measuring—L. P. Martin and F. D. Ju, 521–528 (Dec.).
Laser-pulse Technique, Elevated-temperature Elastic Moduli of 2024 Aluminum Obtained by a—J. A. Brammer and C. M. Percival, 245–250 (June).
Lateral Loads, Concentrated, Influence of, on the Elastic Stability of Cylinders in Bending—S. Okubo, P. E. Wilson and J. S. Whittier, 384–389 (Sept.).
Ligtenerg's Reflective Moiré Method. A Note on—F. P. Chiang and J. Treiber, 537–538 (Dec.).
Longitudinal Pulse, Propagation of a, in Wire Ropes under Axial Loads—H. H. Vanderveldt and J. J. Gilheany, 401–407 (Oct.).

Magnetophotoelasticity—Photoelasticity in a Magnetic Field—Hillar K. Aben, 97–105 (March).
Materials, High-strain-rate Testing of Rapidly Heated Conductive, to 7000° F—S. G. Babcock and P. A. Hochstein, 78–83 (Feb.).
Materials Selection, Preclude Failures: A Philosophy for, and Simulated Service Testing—Thomas J. Dolan, 1–14 (Jan.).
Measuring Dynamic-strain Profile and History with a Drum Camera—Richard S. Culver, 288–293 (July).
Measurement, Complex-modulus, by Longitudinal Vibration Testing—D. M. Norris, Jr. and Wun-Chung Young, 93–96 (Feb.).
Measurement, Solid-propellant Grain-to-case Bond-stress—John D. Burton, 338–343 (August).
Moiré Analysis, Telecentric Systems for—G. S. Holister and D. Watts, 31–38 (Jan.).
Moiré-gap Equation, Some Experimental Evidence for the Validity of—F. P. Chiang and B. Ranganayakamma, 294–296 (July).
Moiré-grid Analyzer Method, The, for the Analysis of Finite Strain—T. X. Danh and R. M. Taylor, 415–420 (Oct.).
Moiré Method, The, for Measuring Large-plane Nonhomogeneous Deformations—L. P. Martin and F. D. Ju, 521–528 (Dec.).
Molded-epoxy Sheets, Construction of Complex Photoelastic Models Using Thin—W. E. Nickola and M. J. Greaves, 23N–30N (April).

Notched-bar Configuration, Photoelasto-Plastic Analysis, of, Subjected to Bending—Alvin R. Hunter, 281–287 (July).
Notches and Holes, Experiments on Yielding of Tension Specimens with—W. H. Rimawi and E. Dogan, 427–432 (Oct.).
Nuclear-reactor Environments, An Evaluation of Weldable Strain Gages in—M. J. Pettigrew, 203–209 (May).

Oblique Holes, Photoelastic Analysis of Stresses Around—Isaac M. Daniel, 467–473 (Nov.).
Optical Properties, Natural Stress Used to Obtain Linear Elastic and, of a Rubber under Large Strains—A. J. Durelli, V. J. Parks and V. J. Lopardo, 240–244 (June).
Orthotropic, A Stress-Optic Law for Photoelastic Analysis of, Composites—R. C. Sampson, 210–215 (May).
Orthotropic Materials, An Investigation of the Hole-drilling Technique for Measuring Planar Residual Stress in Rectangularly—B. R. Lake, F. J. Appl and C. W. Bert, 233–239 (June).

Photoelastic Analysis of Stresses Around Oblique Holes—Isaac M. Daniel, 467–473 (Nov.).
Photoelastic, A Stress-Optic Law for, Analysis of Orthotropic Composites—R. C. Sampson, 210–215 (May).
Photoelastic, Construction of Complex, Models Using Thin Molded-epoxy Sheets—W. E. Nickola and M. J. Greaves, 23N–30N (April).
Photoelastic-fringe Multiplication—For Tenfold Increase in Sensitivity—Daniel Post, 305–312 (August).
Photoelastic Models, Analysis of Cylindrical Shells of Nonuniform Thickness Using Two-dimensional—William C. Jenkins, 39–45 (Jan.).
Photoelastic Polariscopes, Optical Analysis of—Daniel Post, 15–23 (Jan.).
Photoelastic Recording of Stress Waves—D. M. Cunningham, G. W. Brown and J. C. Griffith, 114–119 (March).
Photoelastic Studies of Ultrasonic Waves in a Large Plate—Discussion by A. J. Durelli and J. A. Clark, 135–136 (March).
Photoelasticity, An Investigation of Propagating Cracks by Dynamic—W. B. Bradley and A. S. Kobayashi, 106–113 (March).
Photoelasticity, Effect of Rotating Secondary Principal Axes in Scattered-light—R. W. Aderholdt, J. M. McKinney, W. F. Ranson and W. F. Swinson, 160–165 (April).
Photoelasticity, Evaluation of Three-dimensional Stresses in Shrink-fit Problems by Scattered-light—S. R. Bhonsle and C. E. Work, 19N–28N (March).
Photoelasticity, Further Applications of Holography to—M. E. Fourney and K. V. Mate, 177–186 (May).
Photoelasticity, Magnetophotoelasticity—, in a Magnetic Field–Hillar K. Aben, 97–105 (March).
Photoelasticity, On the Interferometric Method of Stress Analysis in Three-dimensional—D. Post, 172–174 (April).
Photoelasto-Plastic Analysis of Notched-bar Configuration Subjected to Bending—Alvin R. Hunter, 281–287 (July).

XUM

Photomechanics, A Simple Holographic Interferometer for Static and Dynamic—J. A. Clark and A. J. Durelli, 497–505 (Dec.).
Photomechanics Data, Two Systems for Automatic Reduction of Time-dependent—Charless W. Fowlkes, 64–71 (Feb.).
Photomechanics, Two Systems for Automatic Reduction of Time-dependent, Data—C. W. Fowlkes, 176 (April).
Errata
Photothermoelastic Investigation of Stresses in a Composite Model—Discussion by A. J. Durelli, 216 (May).
Plastic Flow, An Experimental Investigation of, under Biaxial Stress—S. Smith and B. O. Almroth, 217–224 (June).
Plastic Stress and Acoustic Emission as Predictors of Fatigue Life—L. D. Mitchell and J. R. Frederick, 328–332 (August).
Polariscope Axes Indicator, A Self-acting—D. A. W. Taylor, 486–487 (Nov.).
Polariscopes, Optical Analysis of Photoelastic—Daniel Post, 15–23 (Jan.).
Pressure Vessel, Design and Stress Evaluation of a Nonsymmetric—C. W. Lawton, E. Vogeli and W. H. Tuppeny, Jr., 27N–34N (May).
Principal-stress Directions, A Simple Method for Determining, in Embedded-polariscope Models—R. Mark and R. B. Pipes, 390–393 (Sept.).

Random Loading, The Fatigue of Aluminum Alloys Subjected to—G. W. Brown and R. Ikegami, 321–327 (August).
Reliability, The, of a Standardizing Strain Gage at Temperatures to −30° F—Carl Berwanger, 488–496 (Nov.).
Resistance Strain Gages, Performance of Miniature, in Low-cycle Fatigue—C. V. Byre Gowda and T. H. Topper, 27N–38N (Jan.).
Resonance, Development of, Extensometer—P. Chenchanna, V. K. Krishnankutty, A. Mukherjee and M. Samanta, 130–132 (March).
Ring-stiffened Shells, Experimental Studies on Buckling of, under Axial Compression—T. Weller and J. Singer, 449–457 (Nov.).

Scattered-light, Birefringent-fluid Tests Using, Technique—F. J. Ahimaz, 133–134 (March).
Scattered-light, Effect of Rotating Secondary Principal Axes in, Photoelasticity—R. W. Aderholdt, J. M. McKinney, W. F. Ranson and W. F. Swinson, 160–165 (April).
Scattered-light Photoelasticity, Evaluation of Three-dimensional Stresses in Shrink-fit Problems by—S. R. Bhonsle and C. E. Work, 19N–28N (March).
Scattered-light Photoelastic Stress Analysis of a Solid-propellant Rocket Motor—R. W. Aderholdt, W. F. Ranson and W. F. Swinson, 481–485 (Nov.).
Self-acting Polariscope Axes Indicator—D. A. W. Taylor, 486–487 (Nov.).
Senarmont Compensation, Theorems for—Paul D. Flynn, 343–346 (August).
Sensitivity, Photoelastic-fringe Multiplication—For Tenfold Increase in—Daniel Post, 305–312 (August).
Shock-test Results, On the Interpretation and Application of, in Engineering Design—Chi-Hung Mok, 266–273 (July).
Shock-tube Loading, Uniaxial-strain Wave-propagation Experiments Using—G. L. Commerford and J. S. Whittier, 120–126 (March).
Single-strand Strainwire Technique: Extensions and Refinements—J. R. Zelonka, R. J. Kline and L. Wade, 539–544 (Dec.).
Solid-propellant Grain-to-case Bond-stress Measurement—John D. Burton, 338–342 (August).
Solid Propellant, On the Measurement of Stress in—A. San Miguel and E. N. Duran, 514–520 (Dec.).
Solid-propellant Rocket Motor, Scattered-light Photoelastic Stress Analysis of a—R. W. Aderholdt, W. F. Ranson and W. F. Swinson, 481–485 (Nov.).
Solid-propellant, Vibration-test Evaluation of an ULL-AGE, Rocket Motor—Douglas Bynum, Jr., 57–63 (Feb.).
Space Frame, Oblique, Theoretical and Experimental Vibration Analysis of an—M. A. Dokainish, J. N. Siddall, R. S. Raghava and S. K. Tiwari, 353–361 (Sept.).
Standardizing Strain Gage, The Reliability of a, at Temperatures to −30° F—Carl Berwanger, 488–496 (Nov.).
Stiffness, On the Experimental Investigation of the, of Clamped Machined Surfaces—D. G. Bellow and D. D. Nelson, 506–513 (Dec.).
Strain-gage Applications, Some, to Ballistic Problems—Paul D. Flynn, 297–304 (July).
Strain Gages, An Evaluation of Weldable, in Nuclear-reactor Environments—M. J. Pettigrew, 203–209 (May).
Strain Gages in Cryogenic Environment—John C. Telinde, 394–400 (Sept.).
Strain Gages, the Response of, to Longitudinally Sweeping Strain Pulses—Larry W. Bickle, 333–337 (August).
Strain Measurement, Dynamic, with the Interferometric Strain Gage—William N. Sharpe, Jr., 89–92 (Feb.).
Strain Multiplier, Development of a, for Fatigue-sensor Applications—E. D. R. Thomas, 346–352 (August).
Strain Pulses, The Response of Strain Gages to Longitudinally Sweeping—Larry W. Bickle, 333–337 (August).
Strain Rates, Very High, Determination of Stress–Strain Characteristics of—C. K. H. Dharan and F. E. Hauser, 370–376 (Sept.).
Strainwire Technique, Single-strand: Extensions and Refinements—J. R. Zelonka, R. J. Kline and L. Wade, 539–544 (Dec.).
Stress Analysis, On the Interferometric Method of—L. S. Srinath and C. L. Mehrotra, 170–171 (April).
Stress, An Experimental Investigation of Plastic Flow under Biaxial—S. Smith and B. O. Almroth, 217–224 (June).
Stress, An Investigation of the Hole-drilling Technique for Measuring Planar Residual, in Rectangularly Orthotropic Materials—B. R. Lake, F. J. Appl and C. W. Bert, 233–239 (June).
Stress at Notch Root of Shafts under Axially Symmetric Loading—Y. F. Cheng, 534–536 (Dec.).
Stress-concentration Factors, Parametric, in Greenstick Bone Fracture—D. Bynum, Jr., W. B. Ledbetter, C. L. Boyd and D. R. Ray, 474–480 (Nov.).
Stress Concentrations, Chebyshev Analysis of—Edward B. Goldman, 127–129 (March).
Stress, Design and, Evaluation of a Nonsymmetric Pressure Vessel—C. W. Lawton, E. Vogeli and W. H. Tuppeny, Jr., 27N–34N (May).
Stress Distributions from Interference Fits and Uniaxial Tension—J. A. Regalbuto and O. E. Wheeler, 274–280 (July).
Stress Distribution in the Vicinity of Slender Notches Having Arbitrary Shapes—S. A. Hussainy, H. Mohamed Hasseem and G. K. Bhagwan, 46–48 (Jan.).
Stresses, Application of the Absolute-retardation Method to the Determination of Steady-state Dynamic Contact—D. L. Cope and D. J. Haines, 145–151 (April).
Stresses, Constant-acceleration, in a Composite Body—V. J. Parks, A. J. Durelli and L. Ferrer, 49–56 (Feb.).
Stresses, Measurement of, under Elastic-plastic Strain Conditions at Elevated Temperatures (550° F Maximum)—J. K. Hayes and B. Roberts, 440–448 (Oct.).
Stresses, Photothermoelastic Investigation of, in a Composite Model—Discussion by A. J. Durelli, 216 (May).
Stresses, Temperatures and, in Ablating Hemispheres—R. F. Parisse, B. Erickson and S. V. Nardo, 187–194 (May).
Stress, Natural, Used to Obtain Linear Elastic and Optical Properties of a Rubber under Large Strains—A. J. Durelli, V. J. Parks and V. J. Lopardo, 240–244 (June).
Stress, On the Measurement of, in Solid Propellant—A. San Miguel and E. N. Duran, 514–520 (Dec.).
Stress-Optic, A, Law for Photoelastic Analysis of Orthotropic Composites—R. C. Sampson, 210–215 (May).
Stress–Strain Characteristics, Determination of, at Very High Strain Rates—C. K. H. Dharan and F. E. Hauser, 370–376 (Sept.).
Stress Waves, Photoelastic Recording of—D. M. Cunningham, G. W. Brown and J. C. Griffith, 114–119 (March).

Temperatures and Stresses in Ablating Hemispheres—R. F. Parisse, B. Erickson, and S. V. Nardo, 187–194 (May).

Tension Specimens, Experiments on Yielding of, with Notches and Holes—W. H. Rimawi and E. Dogan, 427–432 (Oct.).
Tension–Torsion Machine, Development of, from an Aircraft-carrier Catapult Problem—Thomas W. Butler, 438–439 (Oct.).
Testing, High-strain-rate, of Rapidly Heated Conductive Materials to 7000° F—S. G. Babcock and P. A. Hochstein, 78–83 (Feb.).
Testing of Ring-stiffened Cylindrical Shells Encased in Concrete—Instrumentation and Procedures—E. W. Kiesling, R. C. DeHart and R. K. Jain, 251–256 (June).
Theorems for Senarmont Compensation—Paul D. Flynn, 343–345 (August).
Three-dimensional Stresses, Evaluation of, in Shrink-fit Problems by Scattered-light Photoelasticity—S. R. Bhonsle and C. E. Work, 19N–28N (March).
Torsion–Tension, Creep of Metal, Members Subjected to Nonproportionate Load Changes—S. C. Chu and O. M. Sidebottom, 225–232 (June).
Transducer, A New, for Measuring Small Pressure Differences at High Absolute Pressure—G. S. Kular, 433–437 (Oct.).
Transient-response Measurements Using Holographic Techniques—R. Aprahamian, D. A. Evensen and J. S. Mixson, 421–426 (Oct.).

Uniaxial Tension, Stress Distributions from Interference Fits and—J. A. Regalbuto and O. E. Wheeler, 274–280 (July).

Vibration Analysis, Theoretical and Experimental, of an Oblique Space Frame—M. A. Dokainish, J. N. Siddall, R. S. Raghava and S. K. Tiwari, 353–361 (Sept.).
Vibration of Beams Immersed in a Liquid—Alfred T. Jones, 84–88 (Feb.).
Vibration-test Evaluation of an ULLAGE Solid-propellant Rocket Motor—Douglas Bynum, Jr., 57–63 (Feb.).
Vibration Testing, Complex-modulus Measurement by Longitudinal—D. M. Norris, Jr. and Wun-Chung Young, 93–96 (Feb.).
Viscoelastic Halfspace, Interaction of a Diaphragm Pressure Gage with a—J. E. Fitzgerald and W. L. Hufferd, 257–265 (July).

Water-filled Right-circular Cylinders, Containment of Explosions in—James F. Proctor, 458–466 (Nov.).
Wave Propagation, Experimental Investigation of Longitudinal, in an Elastic Rod with Coulomb Friction—C. S. Cornelius and W. K. Kubitza, 137–144 (April).
Wave Propagation in Prestrained Polyethylene Rods—A. L. Stevens and L. E. Malvern, 24–30 (Jan.).
Wave-propagation, Uniaxial-strain, Experiments Using Shock-tube Loading—G. L. Commerford and J. S. Whittier, 120–126 (March).
Waves, Photoelastic Studies of Ultrasonic, in a Large Plate—Discussion by A. J. Durelli and J. A. Clark, 135–136 (March).

AUTHOR INDEX

ABEN, H. K.—Magnetophotoelasticity—Photoelasticity in a Magnetic Field, 97–105 (March).
ADERHOLDT, R. W.—Effect of Rotating Secondary Principal Axes in Scattered-light Photoelasticity, 160–165 (April).
ADERHOLDT, R. W.—Scattered-light Photoelastic Stress Analysis of a Solid-propellant Rocket Motor, 481–485 (Nov.).
AHIMAZ, F. J.—Birefringent-fluid Tests Using Scattered-light Technique, 133–134 (March).
ALMROTH, B. O.—An Experimental Investigation of Plastic Flow under Biaxial Stress, 217–224 (June).
APPL, F. J.—An Investigation of the Hole-drilling Technique for Measuring Planar Residual Stress in Rectangularly Orthotropic Materials, 233–239 (June).
APRAHAMIAN, R.—Transient-response Measurements Using Holographic Techniques, 421–426 (Oct.).

BABCOCK, S. G.—High-strain-rate Testing of Rapidly Heated Conductive Material to 7000° F, 78–83 (Feb.).
BELLOW, D. G.—On the Experimental Investigation of the Stiffness of Clamped Machined Surfaces, 506–513 (Dec.).
BERT, C. W.—An Investigation of the Hole-drilling Technique for Measuring Planar Residual Stress in Rectangularly Orthotropic Materials, 233–239 (June).
BERWANGER, C.—The Reliability of a Standardizing Strain Gage at Temperatures to −30° F, 488–496 (Nov.).
BHAGWAN, G. K.—Stress Distribution in the Vicinity of Slender Notches Having Arbitrary Shapes, 46–48 (Jan.).
BHONSLE, S. R.—Evaluation of Three-dimensional Stresses in Shrink-fit Problems by Scattered-light Photoelasticity, 19N–28N (March).
BICKLE, L. W.—The Response of Strain Gages to Longitudinally Sweeping Strain Pulses, 333–337 (August).
BOYD, C. L.—Parametric Stress-concentration Factors in Greenstick Bone Fracture, 474–480 (Nov.).
BRADLEY, W. B.—An Investigation of Propagating Cracks by Dynamic Photoelasticity, 106–113 (March).
BRAMMER, J. A.—Elevated-temperature Elastic Moduli of 2024 Aluminum Obtained by a Laser-pulse Technique, 245–255 (June).
BRINSON, H. F.—The Ductile Fracture of Polycarbonate, 72–77 (Feb.).
BROWN, G. W.—Photoelastic Recording of Stress Waves, 114–119 (March).
BROWN, G. W.—The Fatigue of Aluminum Alloys Subjected to Random Loading, 321–327 (August).
BURTON, J. D.—Solid-propellant Grain-to-case Bond-stress Measurement, 338–342 (August).
BUTLER, T. W.—Development of Tension–Torsion Machine from an Aircraft-carrier Catapult Problem, 438–439 (Oct.).
BYNUM, D., JR.—Parametric Stress-concentration Factors in Greenstick Bone Fracture, 474–480 (Nov.).
BYNUM, D., JR.—Vibration-test Evaluation of an ULLAGE Solid-propellant Rocket Motor, 57–63 (Feb.).

CHANEY, R. D.—An Application of Acquisition and Reduction of Data of Variable Short-time Tests, 23N–28N (June).
CHENCHANNA, P.—Development of Resonance Extensometer, 130–132 (March).
CHENG, Y. F.—Stress at Notch Root of Shafts under Axially Symmetric Loading, 534–536 (Dec.).
CHIANG, F. P.—A Note on Ligtenberg's Reflective Moiré Method, 537–538 (Dec.).
CHIANG, F. P.—Some Experimental Evidence for the Validity of the Moiré-gap Equation, 294–296 (July).
CHU, S. C.—Creep of Metal Torsion–Tension Members Subjected to Nonproportionate Load Changes, 225–232 (June).
CLARK, J. A.—A Simple Holographic Interferometer for Static and Dynamic Photomechanics, 497–505 (Dec.).
CLARK, J. A.—Photoelastic Studies of Ultrasonic Waves in a Large Plate, 135–136 (March).
CLARK, J. A.—Moiré Interferometry with Embedded Grids—Effect of Optical Refraction, 175–176 (April).
COLLINS, J. C.—The Computer in the Testing Laboratory, 19N–23N (Feb.).
COMMERFORD, G. L.—Uniaxial-strain Wave-propagation Experiments Using Shock-tube Loading, 120–126 (March).

XUM

COPE, D. L.—Application of the Absolute-retardation Method to the Determination of Steady-state Dynamic Contact Stresses, 145–151 (April).
CORNELIUS, C. S.—Experimental Investigation of Longitudinal Wave Propagation in an Elastic Rod with Coulomb Friction, 137–144 (April).
CULVER, R. S.—Measuring Dynamic-strain Profile and History with a Drum Camera, 288–293 (July).
CUNNINGHAM, D. M.—Photoelastic Recording of Stress Waves, 114–119 (March).

DANH, T. X.—The Moiré-grid Analyzer Method for the Analysis of Finite Strain, 415–420 (Oct.).
DANIEL, I. M.—Photoelastic Analysis of Stresses Around Oblique Holes, 467–473 (Nov.).
DEHART, R. C.—Testing of Ring-stiffened Cylindrical Shells Encased in Concrete—Instrumentation and Procedures, 251–256 (June).
DHARAN, C. K. H.—Determination of Stress-Strain Characteristics at Very High Strain Rates, 370–376 (Sept.).
DOGAN, E.—Experiments on Yielding of Tension Specimens with Notches and Holes, 427–432 (Oct.).
DOKAINISH, M. A.—Theoretical and Experimental Vibration Analysis of an Oblique Space Frame, 353–361 (Sept.).
DOLAN, T. J.—Preclude Failure: A Philosophy for Materials Selection and Simulated Service Testing, 1–14 (Jan.).
DURAN, E. N.—On the Measurement of Stress in Solid Propellant, 514–520 (Dec.).
DURELLI, A. J.—A Simple Holographic Interferometer for Static and Dynamic Photomechanics, 497–505 (Dec.).
DURELLI, A. J.—Constant-acceleration Stresses in a Composite Body, 49–56 (Feb.).
DURELLI, A. J.—Moiré Interferometry with Embedded Grids—Effect of Optical Refraction, 175–176 (April).
DURELLI, A. J.—Natural Stress Used to Obtain Linear Elastic and Optical Properties of a Rubber under Large Strains, 240–244 (June).
DURELLI, A. J.—Photoelastic Studies of Ultrasonic Waves in a Large Plate, 135–136 (March).
DURELLI, A. J.—Discussion by, Photothermoelastic Investigation of Stresses in a Composite Model, 216 (May).

ELLYIN, F.—Experimental Study of Oblique Circular Cylindrical Apertures in Plates, 195–202 (May).
ERICKSON, B.—Temperatures and Stresses in Ablating Hemispheres, 187–194 (May).
EVENSEN, D. A.—Transient-response Measurements Using Holographic Techniques, 421–426 (Oct.).

FERRER, L.—Constant-acceleration Stresses in a Composite Body, 49–56 (Feb.).
FITZGERALD, J. E.—Interaction of a Diaphragm Pressure Gage with a Viscoelastic Half Space, 257–265 (July).
FLYNN, P. D.—Some Strain Gage Applications to Ballistic Problems, 297–304 (July).
FLYNN, P. D.—Theorems for Senarmont Compensation, 343–345 (August).
FOURNEY, M. E.—Further Applications of Holography to Photoelasticity, 177–186 (May).
FOWLKES, C. W.—Two Systems for Automatic Reduction of Time-dependent Photomechanics Data, 64–71 (Feb.).
FOWLKES, C. W.—Two Systems for Automatic Reduction of Time-dependent Data, 176 (April).
Errata
FREDERICK, J. R.—Plastic Stress and Acoustic Emission as Predictors of Fatigue Life, 328–332 (August).

GILHEANY, J. J.—Propagation of a Longitudinal Pulse in Wire Ropes under Axial Loads, 401–407 (Oct.).
GOLDMAN, E. B.—Chebyshev Analysis of Stress Concentrations, 127–129 (March).
GOWDA, C. V. BYRE—Performance of Miniature Resistance Strain Gages in Low-cycle Fatigue, 27N–38N, (Jan.).
GRANOT, D.—Grips for Buckling Experiments with Rectangular Rods, 24N (Feb.).
GREAVES, M. J.—Construction of Complex Photoelastic Models Using Thin Molded-epoxy Sheets, 23N–30N (April).
GREEN, S. J.—An Application of Acquisition and Reduction of Data of Variable Short-time Tests, 23N–28N (June).
GRIFFITH, J. C.—Photoelastic Recording of Stress Waves, 114–119 (March).

HAINES, D. J.—Application of the Absolute-retardation Method to the Determination of Steady-state Dynamic Contact Stresses, 145–151 (April).
HASSEEM, H. MOHAMED—Stress Distribution in the Vicinity of Slender Notches Having Arbitrary Shapes, 46–48 (Jan.).
HAUSER, F. E.—Determination of Stress–Strain Characteristics at Very High Strain Rates, 370–376 (Sept.).
HAYES, J. K.—Measurement of Stresses under Elastic-plastic Strain Conditions at Elevated Temperatures (550° F Maximum), 440–448 (Oct.).
HOCHSTEIN, P. A.—High-strain-rate Testing of Rapidly Heated Conductive Materials to 7000° F, 78–83 (Feb.).
HOLISTER, G. S.—Telecentric Systems for Moiré Analysis, 31–38 (Jan.).
HUFFERD, W. L.—Interaction of a Diaphragm Pressure Gage with a Viscoelastic Half Space, 257–265 (July).
HUNTER, ALVIN R.—Photoelasto–Plastic Analysis of Notched-bar Configuration Subjected to Bending, 281–287 (July).
HUSSAINY, S. A.—Stress Distribution in the Vicinity of Slender Notches Having Arbitrary Shapes, 46–48 (Jan.).

IKEGAMI, R.—The Fatigue of Aluminum Alloys Subjected to Random Loading, 321–327 (August).

JAIN, R. K.—Testing of Ring-stiffened Cylindrical Shells Encased in Concrete—Instrumentation and Procedures, 251–256 (June).
JENKINS, W. C.—Analysis of Cylindrical Shells of Nonuniform Thickness Using Two-dimensional Photoelastic Models, 39–45 (Jan.).
JONES, A. T.—Vibration of Beams Immersed in a Liquid, 84–88 (Feb.).
JOSHI, S. R.—Fatigue-crack Propagation in a Biaxial-stress Field, 529–533 (Dec.).
JU, F. D.—The Moiré Method for Measuring Large-plane Nonhomogeneous Deformations, 521–528 (Dec.).

KIESLING, E. W.—Testing of Ring-stiffened Cylindrical Shells Encased in Concrete—Instrumentation and Procedures, 251–256 (June).
KLINE, R. J.—Single-strand Strainwire Technique: Extensions and Refinements, 539–544 (Dec.).
KOBAYASHI, A. S.—An Investigation of Propagating Cracks by Dynamic Photoelasticity, 106–113 (March).
KRISHNANKUTTY, V. K.—Development of Resonance Extensometer, 130–132 (March).
KUBITZA, W. K.—Experimental Investigation of Longitudinal Wave Propagation in an Elastic Rod with Coulomb Friction, 137–144 (April).
KULAR, G. S.—A New Transducer for Measuring Small Pressure Differences at High Absolute Pressure, 433–437 (Oct.).

LAKE, B. R.—An Investigation of the Hole-drilling Technique for Measuring Planar Residual Stress in Rectangularly Orthotropic Materials, 233–239 (June).
LAWTON, C. W.—Design and Stress Evaluation of a Nonsymmetric Pressure Vessel, 27N–34N (May).
LEDBETTER, W. B.—Parametric Stress-concentration Factors in Greenstick Bone Fracture, 474–480 (Nov.).
LOPARDO, V. J.—Natural Stress Used to Obtain Linear Elastic and Optical Properties of a Rubber under Large Strains, 240–244 (June).

MALVERN, L. E.—Wave Propagation in Prestrained Polyethylene Rods, 24–30 (Jan.).
MARK, R.—A Simple Method for Determining Principal-stress Directions in Embedded-polariscope Models, 390–393 (Sept.).
MARTIN, L. P.—The Moiré Method for Measuring Large-plane Nonhomogeneous Deformations, 521–528 (Dec.).
MATE, K. V.—Further Applications of Holography to Photoelasticity, 177–186 (May).
MCKINNEY, J. M.—Effect of Rotating Secondary Principal Axes in Scattered-light Photoelasticity, 160–165 (April).

MEHROTRA, C. L.—On the Interferometric Method of Stress Analysis, 170–171 (April).
MITCHELL, L. D.—Plastic Stress and Acoustic Emission as Predictors of Fatigue Life, 328–332 (August).
MIXSON, J. S.—Transient-response Measurements Using Holographic Techniques, 421–426 (Oct.).
MOK, C. H.—On the Interpretation and Application of Shock-test Results in Engineering Design, 266–273 (July).
MUKHERJEE, A.—Development of Resonance Extensometer, 130–132 (March).

NARDO, S. V.—Temperatures and Stresses in Ablating Hemispheres, 187–194 (May).
NELSON, D. D.—On the Experimental Investigation of the Stiffness of Clamped Machined Surfaces, 506–513 (Dec.).
NICKOLA, W. E.—Construction of Complex Photoelastic Models Using Thin Molded-epoxy Sheets, 23N–30N (April).
NORRIS, D. M., JR.—Complex-modulus Measurement by Longitudinal Vibration Testing, 93–96 (Feb).

OKUBO, S.—Influence of Concentrated Lateral Loads on the Elastic Stability of Cylinders in Bending, 384–389 (Sept.).

PARISSE, R. F.—Temperatures and Stresses in Ablating Hemispheres, 187–194 (May).
PARKS, V. J.—Constant-acceleration Stresses in a Composite Body, 49–56 (Feb.).
PARKS, V. J.—Natural Stress Used to Obtain Linear Elastic and Optical Properties of a Rubber under Large Strains, 240–244 (June).
PENNY, R. K.—Some Results of Testing Simple Structures under Constant and Variable Loading During Creep, 152–159 (April).
PERCIVAL, C. M.—Elevated-temperature Elastic Moduli of 2024 Aluminum Obtained by a Laser-pulse Technique, 245–250 (June).
PETTIGREW, M. J.—An Evaluation of Weldable Strain Gages in Nuclear-reactor Environments, 203–209 (May).
PIPES, R. B.—A Simple Method for Determining Principal-stress Directions in Embedded-polariscope Models, 390–393 (Sept.).
POST, D.—Optical Analysis of Photoelastic Polariscopes, 15–23 (Jan.).
POST, D.—On the Interferometric Method of Stress Analysis in Three-dimensional Photoelasticity, 172–174 (April).
POST, D.—Photoelastic-fringe Multiplication—For Tenfold Increase in Sensitivity, 305–312 (August).
PROCTOR, J. F.—Containment of Explosions in Water-filled Right-circular Cylinders, 458–466 (Nov.).

RAGHAVA, R. S.—Theoretical and Experimental Vibration Analysis of an Oblique Space Frame, 353–361 (Sept.).
RANSON, W. F.—Effect of Rotating Secondary Principal Axes in Scattered-light Photoelasticity, 160–165 (April).
RANSON, W. F.—Scattered-light Photoelastic Stress Analysis of a Solid-propellant Rocket Motor, 481–485 (Nov.).
RAU, C. A., JR.—Effect of Two Drilled Holes on the Elastic and Elastic–Plastic Strain Distribution Around a Charpy V-Notch, 362–369 (Sept.).
RAY, D. R.—Parametric Stress-concentration Factors in Greenstick Bone Fracture, 474–480 (Nov.).
REGALBUTO, J. A.—Stress Distributions from Interference Fits and Uniaxial Tension, 274–280 (July).
RIMAWI, W. H.—Experiments on Yielding of Tension Specimens with Notches and Holes, 427–432 (Oct.).
ROBERTS, B.—Measurement of Stresses under Elastic-plastic Strain Conditions at Elevated Temperatures (550° F Maximum), 440–448 (Oct.).

SAMANTA, M.—Development of Resonance Extensometer, 130–132 (March).
SAMPSON, R. C.—A Stress-Optic Law for Photoelastic Analysis of Orthotropic Composites, 210–215 (May).
SAMPSON, R. C.—Holographic-interferometry Applications in Experimental Mechanics, 313–320 (August).
SAN MIGUEL, A.—On the Measurement of Stress in Solid Propellant, 514–520 (Dec.).
SCHIERLOH, F. L.—An Application of Acquisition and Reduction of Data of Variable Short-time Tests, 23N–28M (June).
SCHWEIGER, H.—Central Deflection of a Transversely Struck Beam, 166–169 (April).
SHARPE, W. N., JR.—Dynamic Plastic Response of Foil Gages, 408–414 (Oct.).
SHARPE, W. N., JR.—Dynamic Strain Measurement with the Interferometric Strain Gage, 89–92 (Feb.).
SHEWCHUK, J.—Fatigue-crack Propagation in a Biaxial-Stress Field, 529–533 (Dec.).
SIDDALL, J. N.—Theoretical and Experimental Vibration Analysis of an Oblique Space Frame, 353–361 (Sept.).
SIDEBOTTOM, O. M.—Creep of Metal Torsion–Tension Members Subjected to Nonproportionate Load Changes, 225–232 (June).
SIM, R. G.—Some Results of Testing Simple Structures under Constant and Variable Loading During Creep, 152–159 (April).
SINGER, J.—Experimental Studies on Buckling of Ring-stiffened Shells under Axial Compression, 449–457 (Nov.).
SMITH, S.—An Experimental Investigation of Plastic Flow under Biaxial Stress, 217–224 (June).
SRINATH, L. S.—On the Interferometric Method of Stress Analysis, 170–171 (April).
STEVENS, A. L.—Wave Propagation in Prestrained Polyethylene Rods, 24–30 (Jan.).
SWINSON, W. F.—Effect of Rotating Secondary Principal Axes in Scattered-light Photoelasticity, 160–165 (April).
SWINSON, W. F.—Scattered-light Photoelastic Stress Analysis of a Solid-propellant Rocket Motor, 481–485 (Nov.).

TAYLOR, D. A. W.—A Self-acting Polariscope Axes Indicator, 486–487 (Nov.).
TAYLOR, R. M.—The Moiré-grid Analyzer Method for the Analysis of Finite Strain, 415–420 (Oct.).
TELINDE, J. C.—Strain Gages in Cryogenic Environment, 394–400 (Sept.).
TETELMAN, A. S.—Effect of Two Drilled Holes on the Elastic and Elastic–Plastic Strain Distribution Around a Charpy V-Notch, 362–369 (Sept.).
THEOCARIS, P. S.—Slope-contour Fringe Multiplication by Fresnel Diffraction, 377–383 (Sept.).
THOMAS, E. D. R.—Development of a Strain Multiplier for Fatigue-sensor Applications, 346–352 (August).
TIWARI, S. K.—Theoretical and Experimental Vibration Analysis of an Oblique Space Frame, 353–361 (Sept.).
TOPPER, T. H.—Performance of Miniature Resistance Strain Gages in Low-cycle Fatigue, 27N–38N (Jan.).
TREIBER, J.—A Note on Ligtenberg's Reflective Moiré Method, 537–538 (Dec.).
TUPPENY, W. H., JR.—Design and Stress Evaluation of a Nonsymmetric Pressure Vessel, 27N–34N (May).

VANDERVELDT, H. H.—Propagation of a Longitudinal Pulse in Wire Ropes under Axial Loads, 401–407 (Oct.).
VOGELI, E.—Design and Stress Evaluation of a Nonsymmetric Pressure Vessel, 27N–34N (May).

WADE, L.—Single-strand Strainwire Technique: Extensions and Refinements, 539–544 (Dec.).
WATTS, D.—Telecentric Systems for Moiré Analysis, 31–38 (Jan.).
WELLER, T.—Experimental Studies on Buckling of Ring-stiffened Shells under Axial Compression, 449–457 (Nov.).
WHEELER, O. E.—Stress Distributions from Interference Fits and Uniaxial Tension, 274–280 (July).
WHITTIER, J. S.—Influence of Concentrated Lateral Loads on the Elastic Stability of Cylinders in Bending, 384–389 (Sept.).
WHITTIER, J. S.—Uniaxial-strain Wave-propagation Experiments Using Shock-tube Loading, 120–126 (March).
WILSON, P. E.—Influence of Concentrated Lateral Loads on the Elastic Stability of Cylinders in Bending, 384–389 (Sept.).
WORK, C. E.—Evaluation of Three-dimensional Stresses in Shrink-fit Problems by Scattered-light Photoelasticity, 19N–28N (March).

YOUNG, W. C.—Complex-modulus Measurement by Longitudinal Vibration Testing, 93–96 (Feb.).

ZELONKA, J. R.—Single-strand Strainwire Technique: Extensions and Refinements, 539–544 (Dec.).

XUM